




PANEL BLIND TECHNICAL DRAWING




PANEL SYSTEM COMPONENTS

Aluminum Head Rail



Extruded Aluminum Head rail with 3, 4, or 5 channels. Allows for one way or two way draw either corded or wand operation. Can be motorized. 3 channel 50 mm * 15mm, 4 channel 67 * 15 mm, 5 channel 85 * 15mm. Wall thickness 1.15mm White polyester painted.

Head Rail End Cap



Head Rail end cap set-moulded white engineering plastic to allow cords to be used and clear top. Idle end with white rubber stops.

PVC Fabric Strips



Plastic PVC fabric Strips with 20mm hook and loop fastener and nylon runners to run in head rail section. Widths vary according to panel width, minimum 3 sets of runners per strip. Size 38 * 10 * 2.5 mm wall thickness. Allows for stops and overlapping of panels.

Strip End Cap



Plastic Strip End Cap. Moulded plastic part slides into groove at back of strip - secured with screw to hit stop and first one at the front takes wand.

Strip Adjustable Stoper



Plastic strip adjustable stopper, moulded part slides into groove at back of strip to act as the stop and catch previous strip when wand or cord is moved.

Wand Control



Wand control – white Plastic wand hooks into front end cap of plastic strip to pull the succession of strips along the track. Length varies with drop of blind.

Twist Fit Bracket



Twist fit bracket zinc plated mild steel with floating centre rivet which allows for miss-alignment of drilled holes. This allows for top fixing.


Face fitting utilizes another bracket with these twist fit brackets.

PANEL BLINDS - CASSETTE & CLASSIC SYSTEM


PANEL BLINDS CLASSIC SYSTEM

- Classic system is a traditional open system without the Cassette
- 4, 3 or 5 channel tracks are available
- 3 Track - One Way 3 Panels, Split Draw 4 Panels, 4 Track - One Way 4 Panels, Split Draw 6 Panels, 5 Track - One Way 5 Panels, Split Draw 8 Panels.
- Bottom Bar - Plastic Bar wrapped with fabric as standard, Unwrapped Aluminium Bar in White, Black or Silver available at a Surcharge


PANEL TRACK SPECIFICATIONS




3 track 4 track 5 track



left hand stack split draw right hand stack



RHC right hand control LHC left hand control



CHILD SAFETY
"Safe By Design"



PANEL BLINDS CASSETTE SYSTEM

The cassette system is an Extruded Aluminium Facia System and is available in the following options:

- 3 and 4 channel tracks can be used on the cassette 45 system
- Cassette 45 - Available in White, Black and Silver and will be covered as standard with the matching fabric to the main blind. Alternatively, you can choose a contrasting fabric from any of the Anycolour range or simply leave uncovered showing the aluminium finish. Please specify at time of ordering.

Blindtex **UK**
4B Wigan Road
Bolton
Lancashire
BL3 5PZ
Tel: 0161 818 9915
Email: sales@blindtex.co.uk
Web: www.blindtex.co.uk

Blindtex **UAE**
Area M6 - 10
SAIF Zone Sharjah – United Arab Emirates
Tel: +971 65578051
Email: sales@blindtex.com
Web: www.blindtex.com



A BRAND OF INNOV8 PRODUCTS